



convert data into blocks



Search

Instant is on ▾

About 20,300,000 results (0.43 seconds)

Advanced search

## Everything

Images

Videos

More

Danville, VA 24541

Change location

## All results

Related searches

Timeline

Sites with images

More search tools

## ► File Conversion Software

Ad

Ad

[www.file-convert.com](http://www.file-convert.com) Converts files between over 200 word processor and other programs.

### Convert Address Block Into Delimited Rows? | TheDailyReviewer

Jump to **Convert Column Data To Semicolon Delimited Text String**: Hi, I want to **convert** a column with let's say about 900 hundred rows with **data** ...

[thedailyreviewer.com/.../convert-address-block-into-delimited-rows-112905426](http://thedailyreviewer.com/.../convert-address-block-into-delimited-rows-112905426) - Cached

### convert monthly data into quarterly - MrExcel Message Board

10 posts · 12 authors · Last post: May 10

**convert monthly data into quarterly** Excel Questions. ... list and the 'm' numbers grouped **into blocks** of 3 in a horizontal list such that: ...

[www.mrexcel.com/forum/showthread.php?t=467017](http://www.mrexcel.com/forum/showthread.php?t=467017) - Cached

### CAD Forum - How to convert block attributes to object data?

Jun 7, 2010 ... CAD Forum - How to **convert block** attributes to object **data**? ... automatically and the attribute values are copied **into object data** (OD). ...

[www.cadforum.cz/.../how-to-convert-block-attributes-to-object-data-tip7396](http://www.cadforum.cz/.../how-to-convert-block-attributes-to-object-data-tip7396)

### How to convert canvas data into image | b0tsk00l

In this tutorial we will learn how to **convert** canvas **data** into different image formats. ...

`getElementById("textdownload").style.display = "block"; ...`  
[www.botskool.com/geeks/how-convert-canvas-data-image-india](http://www.botskool.com/geeks/how-convert-canvas-data-image-india) - Cached

### Oracle Forms 4.0 - convert rdf data into excel format

Oracle Forms 4.0 : **convert rdf data** into excel format How to **convert rdf data** ... in forms automaticallyhint: IN FORMS WE CREATING ONE **DATA BLOCK** BUT ONE ...

[www.geekinterview.com/>...>Oracle>Oracle Forms 4.0](http://www.geekinterview.com/>...>Oracle>Oracle Forms 4.0) - Cached - Similar

### Text File Mapping

You can change the names of these text **blocks** to suit your file to, for example, ... **Converting** text files to XML , database formats, etc. ... Discover how easy it is to **convert** text and integrate legacy **data** using the powerful ...

[www.altova.com/mapforce/convert-text.html](http://www.altova.com/mapforce/convert-text.html) - Cached - Similar

### dd -- copy and convert input blocks

A fixed-length input or output record may span these boundaries. dd gathers the **converted data** into output **blocks** of the specified size. ...

[www.mksssoftware.com/docs/man1/dd.1.asp](http://www.mksssoftware.com/docs/man1/dd.1.asp) - Cached - Similar

### Data Conversion Tool

Simple & Powerful **Data** Conversion.

Fully Functional 30 Day Trial

[www.Altova.com/MapForce](http://www.Altova.com/MapForce)

See your ad here »

Razor and Webmatrix : Convert Static HTML into Dynamic data-driven ...

Oct 7, 2010 ... Open About.cshtml and change the top **block** code **into**: Using PageData Syntax is the way to pass **data** between pages. Now click Run and see the ...

innovativesingapore.com/.../razor-and-webmatrix-convert-static-html-into-dynamic-data-driven-pages/ - Cached

Convert legacy data files using ParseRat Data Database and File ...

Intelligently parses dates (including Julian), names & addresses **into** components, ... Page Image Files (and other multi-record **blocks**), single or multiple records per page, ...

**Convert** the **data** elements to a different format: ...

www.guysoftware.com/parserat.htm - Cached - Similar

Convert Text to Numbers in Microsoft Excel

Many times the communication between the two causes strange **data** anomalies, text numbers being the most common. ... So how do we fix this **block** of numbers quickly? ... This forces Excel to turn these **into** true numbers instead of text, ...

www.bluemooosetech.com/microsoft-excel-functions.php?...  
Convert%20Text%20to%20Numbers%20in%20Microsoft%20...

- Cached - Similar

1 2 3 4 5 6 7 8 9 10

Next

Search Help

Give us feedback

Google Home

Advertising Programs

Business Solutions

Privacy

About Google



blocks memory will data use



Search

Instant is on ▾

About 82,700,000 results (0.32 seconds)

Advanced search

## Everything

Images

Videos

More

Danville, VA 24541

Change location

Show search tools

► Flash memory - Wikipedia, the free encyclopedia

Another limitation of NAND flash is **data** in a **block** can only be written ... For this reason, some systems **will use** a combination of NOR and NAND **memories**, ...

en.wikipedia.org/wiki/Flash\_memory - Cached - Similar

JFFS2 - Memory Technology Device (MTD) Subsystem for Linux

Jan 12, 2009 ... Further such events for this erase **block will** not be printed, this means that the **data** on your flash device is not a valid JFFS2 file system. ... time as well as **memory consumption** grow linearly with growing flash size. ...

www.linux-mtd.infradead.org/faq/jffs2.html - Cached - Similar

| Nintendo - Customer Service | Wii - Managing Memory Space

How can I tell how many **memory blocks** I have available? ... To move **data** from a Wii to an SD Card, you **will use** the 'Copy' command. ...

www.nintendo.com/consumer/systems/.../memoryManage.jsp - Cached - Similar

USB Block | Data Leak Prevention | Free Download!

USB **Block uses** hardcore **data** leak prevention technology and ensures ... offer **data** leak prevention for your files and folder but **will also block** USB **Drives** ...

www.newsoftwares.net/usb-block/ - Cached

ELM - How to Use MMC/SDC

Nov 3, 2010 ... The **data** is transferred between the **memory** card and the host controller as .... operation is initiated and the read **data block will** be sent to the host. ... The CSD and CID are sent to the host as 16 byte **data block**. ...

elm-chan.org/docs/mmc/mmc\_e.html - Cached - Similar

Oracle Memory Architecture

This area holds copies of read **data blocks** from the datafiles. ... a dedicated connection does not **use** shared servers the **memory will** be located in the PGA ...

www.datadisk.co.uk/html\_docs/oracle/memory.htm - Cached

Support - Simulink Performance & Memory Management Guide

Loading **data** from MAT-files **will** store your **data** in a contiguous **memory block**, .... The **use** of Model **blocks** results in reduced **memory usage** through ...

www.mathworks.com/support/tech-notes/1800/1806.html - Cached - Similar

Manage Memory in LabVIEW Using a New Block Diagram Structure ...

With LabVIEW 8.5, you can **use** the In Place Element structure, a **block** .... So is it only useful to modify **data** that **will** not increase or decrease the size ...

zone.ni.com/devzone/cda/tut/pld/6211 - Cached - Similar

Down Memory Lane: Using Microsoft Data Access Application Block

Sep 2, 2010 ... Down **Memory Lane** ... In that case time **will** be the most critical factor. ...

How to **use** Enterprise **data** access application **block** in your ...

nalakahewage.blogspot.com/.../using-microsoft-data-access-application.html - Cached

Examining Memory Use

Jump to Enabling Memory Checking and Data Collection: Detects a write to a **block** of **memory** beyond the ... your program **will** consistently manifest problems ... Collect **memory leak/usage data** (reported in **Memory Usage View**). ...

docs.hp.com/en/5991-7525/help/memory.html - Cached - Similar

1 2 3 4 5 6 7 8 9 10

Next

Search Help

Give us feedback

Google Home

Advertising Programs

Business Solutions

Privacy

About Google





convert data to storage format



Search

About 320,000 results (0.17 seconds)

Advanced search

Instant is on ▾

## Everything

Images

Videos

More

Danville, VA 24541

Change location

Show search tools

► **Data Storage Solution**

Ad

www.BarracudaNetworks.com Hybrid Onsite+Offsite **Data Storage**. \$50/Month/100GB. Free Evaluation!

**Data Storage Format for DATAQ Instruments Data Acquisition Products**

Since the WinDag **convert** utility can be used to **convert** other **data** file formats into the CODAS **data storage format**, typical WinDag users will never need to ...

www.dataq.com/support/techinfo/ff.htm - Cached - Similar

[PDF] **CODAS Data Storage Format**

File Format: PDF/Adobe Acrobat - Quick View

Since the WinDag **convert** utility can be used to **convert** other **data** file ...

www.dataq.com/support/documentation/pdf/misc/ff.pdf

Show more results from dataq.com

**Reducing Database Size by Using Vardecimal Storage Format**

Using vardecimal **storage format** may **convert** a row that contains only ... to **convert** decimal **data** between fixed-length format and vardecimal **storage format**. ...

msdn.microsoft.com/en-us/library/bb508963(SQL\_90).aspx -

Cached - Similar

**convert xml to csv, excel to XML, excel XML**

**Converter csv xml ...**

Choose an object from the Select **Data** Source dialog box and press Open. The XML **Converter** allows you choose the raw **data storage format** from either the ODBC ...

rustemsoft.com/xmlconverter.htm - Cached

**Free hp usb disk storage format tool to convert fat 32 to fat 16 ...**

Free download hp usb disk **storage format** tool to **convert** fat 32 to fat 16 ntfs in ... We use 7 pass destruction scheme as per DOD std 7 for shredding the **data**.

software.informer.com/getfree-hp-usb-disk-storage-format-tool-to-convert-fat-32-to-fat-16-ntfs-in-xp/ - Cached

**Download Notes Storage Format to Outlook 8.0**

Notes **Storage Format** to Outlook PST in efficient way through Export Notes software. ... to **convert** OE Address Book to Outlook with all its **data & meta-data**. ...

www.myzips.com/software/Notes-Storage-Format-to-Outlook.phtml - Cached

**Dual redundant data storage format and method - Patent 7406621**

by CE Lubbers - 2008 - Cited by 1 - Related articles

Jul 29, 2008 ... The **data storage** architecture of claim 9 wherein the means for converting further operates to **convert** the grid from said lower RAID **format** ...

www.freepatentsonline.com/7406621.html - Cached

Ad

**Data Conversion Tool**

Simple & Powerful **Data** Conversion.

Fully Functional 30 Day Trial

www.Altova.com/MapForce

**Convert Files Accurately**

Software to **convert** files between over 200 old and new programs.

www.file-convert.com

**Data Storage**

Secure Online **Storage** and Backup

Get Trend Micro SafeSync Now!

TrendMicro.com/SafeSync

TrendMicro.com is rated ★★★★★

**Data file conversion**

Cost-Effective, Complete, Code-Free

**Data** Conversion Soln. Download Now!

www.Adeptia.com

See your ad here »

Desktop Help 10.0 - Convert Map Server Cache  
Storage Format (Server)

Jun 7, 2010 ... The source **data** frame for the map service.  
String. storage\_format\_type. (Optional). The **storage format**  
to which the new cache will be ...  
[help.arcgis.com/en/arcgisdesktop/10.0/00540000000120000000.htm](http://help.arcgis.com/en/arcgisdesktop/10.0/00540000000120000000.htm)  
- Cached

convert excel to XML Converter excel convert -  
ODBC, csv, Oracle ...

Choose an object from the "Select **Data** Source" dialog box  
and press Open. The XML **Converter** allows for the user to  
choose the raw **data storage format** from ...  
[www.xmlfox.com/XMLConverter.htm](http://www.xmlfox.com/XMLConverter.htm) - Cached - Similar

MYSQL :: MyISAM Internal DATE Storage  
Format?

I used Paradox for my **data storage**. Now, I want to **convert**  
these databases to MySql. So that why I am looking for a  
way to **convert** the date **format** from ...  
[www.bigresource.com/MYSQL-MyISAM-internal-  
DATE-storage-format-1vareOW.html](http://www.bigresource.com/MYSQL-MyISAM-internal-DATE-storage-format-1vareOW.html) - Cached

**1** 2 3 4 5 6 7 8 9 10

**Next**

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)



convert to memory type



Search

Instant is on ▾

About 411,000 results (0.31 seconds)

Advanced search

## Everything

Images

Videos

More

Danville, VA 24541

Change location

Show search tools

► Importing a **Type** Library as an Assembly

Can **convert** in-memory **type** library information to metadata. Custom Wrappers, As a less desirable option, you can create **type** definitions from scratch. ...

msdn.microsoft.com/en-us/.../xwzy44e4(VS.71).aspx -

Cached - Similar

You receive the "Cannot implicitly convert type <type> to <type> ...

A narrowing conversion exists when you **convert** a data **type** to another data ...

support.microsoft.com/kb/304696 - Cached - Similar

MySQL :: MySQL 5.0 Reference Manual :: 13.4 The MEMORY (HEAP) ...

In my case, when a column on a **MEMORY** table was of **type** HASH and the ... instance was to **convert** the default HASH index on the **MEMORY** table column to BTREE. ...

dev.mysql.com/doc/refman/5.../memory-storage-engine.html

- Cached - Similar

[PDF]

AN 210: Converting Memory from Asynchronous to Synchronous for ...

File Format: PDF/Adobe Acrobat

you should **convert** asynchronous **memory** designs to synchronous before .... **memory** block with the same **type** of system clock, the maximum ...

www.altera.com/literature/an/an210.pdf - Similar

cstdlib (stdlib.h) - C++ Reference

strtoul, **Convert** string to unsigned long integer (function) ...

Dynamic **memory** management: calloc, Allocate space for array in **memory** (function) ... ldiv\_t, Structure returned by div and ldiv (**type**) ...

www.cplusplus.com/reference/cstdlib/ -

Cached - Similar

Flash Video to DVD - Flash **Memory** Camcorder - Convert Flash **Memory**

We **convert** video from your Flash **memory** camcorder or card to easy, simple DVDs. ... Flash **memory** camcorders are arguably the most prevalent and popular **type** ...

www.timelessdvd.com/video-conversion/flash-video-to-dvd.html

- Cached

Convert signal to new **type** without altering signal values - Simulink

Specifies the **type** of conversion to perform. The options are: Contiguous copy. **Converts** a muxed signal, whose elements occupy discontinuous areas of **memory**, ...

www.mathworks.com/help/toolbox/.../signalconversion.html -

Cached

Conversion of **memory** files to/from other programs

click the Tools menu, then **Convert **memory** files** command on the main screen select the radio **type** using the radio buttons click the Read Disk File button ...

www.g4hfq.co.uk/mmoheip/hs3600.htm - Cached - Similar

Ads

Looking for **Memory**?

We've Got It! Try our **Memory** Finder

Free Shipping & Lifetime Warranty .

Crucial.com/RAM\_Memory

Crucial.com is rated ★★★★★

See your ad here »

[MGMaps :: View topic - Possible to \*\*convert\*\*](#)

[Memory Map maps for Gmaps?](#)

8 posts - 4 authors - Last post: Apr '10

Posts: 30. Location: Darlington Phone **Type:** Nokia 6500

Slide ... As per subject really: Is it possible to **convert**

**Memory** Map maps for Gmaps? ...

[forum.mgmaps.com/viewtopic.php?p=15860](#) - Cached

[Stata 11 help for \*\*mi\\_convert\*\*](#)

The other styles are more convenient than flongsep, and mi commands run faster on them. With your flongsep data in

**memory, type . mi\_convert** mlong ...

[www.stata.com/help.cgi?mi\\_convert](#) - Cached

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)




 how many sections of memory will c  

Instant is on ▾

About 101,000,000 results (0.29 seconds)

[Advanced search](#)**Everything**[Images](#)[Videos](#)[More](#)**Danville, VA 24541**[Change location](#)[Show search tools](#)► **MEMORY FAQ (please read before posting) - Memory -****Motherboards-Memory**

The FSB is the **data** path that runs between the CPU and main **memory** (RAM). .... A: Under the **memory section** of CPU-Z you **will** find a text box labeled as 'Frequency'. .... Of course, **many** applications and systems can go safely beyond the .... To check the **memory** setup in greater details you can **use** CPU-Z (from ...

[www.tomshardware.com](http://www.tomshardware.com) > ... > Memory - Cached - Similar
**| Nintendo - Customer Service | Wii - Managing Memory Space**

How can I tell **how many memory** blocks I have available? ... Located in the "Save **Data**" **section** of the "Data Management" area of the Wii Settings, ... To move **data** from a Wii to an SD Card, you **will use** the 'Copy' command. ...

[www.nintendo.com/.../wii/en.../memoryManage.jsp](http://www.nintendo.com/.../wii/en.../memoryManage.jsp) - Cached - Similar
**Page table - Wikipedia, the free encyclopedia**

Physical **memory** can contain pages belonging to **many** processes. ... In operating systems that **use** virtual **memory**, every process is given the impression that it is working with large, contiguous **sections of memory**. .... some other **data** and a means for creating a collision chain, as we **will** see later. ...

[en.wikipedia.org/wiki/Page\\_table](http://en.wikipedia.org/wiki/Page_table) - Cached - Similar
**How The Computer Works: The CPU and Memory**

Other **sections will** examine input devices, output devices, and secondary **memory**. ... The control unit **uses** a **data** storage register the way a store owner **uses** a cash .... **Many** personal computers can execute instructions in less than ...

[homepage.cs.uri.edu/faculty/wolfe/book/.../Reading04.htm](http://homepage.cs.uri.edu/faculty/wolfe/book/.../Reading04.htm) - Cached - Similar
**Will a const be allocated memory in the data section and ...**

**Will** a const be allocated **memory** in the **data section** and referenced from there ... **memory will** be allocated or not? I yes then what is the **use** of malloc() ...

[www.answerbag.com/q\\_view/327324](http://www.answerbag.com/q_view/327324) - Cached - Similar
**FFTW - Parallel FFTW**

In this **section** we document the parallel FFTW routines for shared-**memory** threads ..... The same plan can be used to compute **many** transforms of the same size. ... **Use** total\_local\_size instead. The amount of **data** on each process **will** not ...

[www.fftw.org/fftw2\\_doc/fftw\\_4.html](http://www.fftw.org/fftw2_doc/fftw_4.html) - Cached - Similar
**12.4 Dynamic and Static Memory**

The distinction made in this **section** is based on the timing and manner for the ... Some **memory use** is predetermined by the compiler and **will** always be set aside for ... Items of all the **data** types considered so far are of the static ... time **how many** programs **will** be running and what **memory will** be already in **use** ...

[arjay.bc.ca/Modula-2/Text/Ch12/Ch12.4.html](http://arjay.bc.ca/Modula-2/Text/Ch12/Ch12.4.html) - Cached - Similar
**developerWorks : Security : Protecting sensitive data in memory**

However, programmers should consider the value of the **data** in **use** by their programs. .... We'll discuss this in the next **section**. Erasing **data** from **memory** ... For example, when keeping a login database, **many** people choose not to store ...

[www.cgisecurity.com/lib/protecting-sensitive-data.html](http://www.cgisecurity.com/lib/protecting-sensitive-data.html) - Cached - Similar
**Avoiding Out of Memory Errors**

Jump to Minimizing the **memory** used during **data** import or creation: The source of **many** "out of **memory**" ... To load parts of files, **use** the ... a large **data** set one **section** at a time in a loop. ... Otherwise, MATLAB **will** need ...

[www.mathworks.com/support/tech-notes/1100/1107.html](http://www.mathworks.com/support/tech-notes/1100/1107.html) - Cached - Similar

PCGuide - Reference Guide - System **Memory**

The term "**memory**" is somewhat ambiguous; it can refer to **many** different parts of ... that the processor executes and the **data** that those instructions work with. ... More **memory will** give you access to programs that you cannot **use** with a lesser amount. ... This **section** describes various aspects of the system **memory**, ...

[www.pcguides.com/ref/ram/](http://www.pcguides.com/ref/ram/) · [Cached](#) · [Similar](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)


 how to determine how many blocks  

Instant is on ▾

Page 2 of about 552,000 results (0.17 seconds)

[Advanced search](#)**Everything**[Images](#)[Videos](#)[Books](#)[More](#)**Danville, VA 24541**[Change location](#)[Show search tools](#)▶ [A Non-Technical Look Inside the EXT2 File System](#)[Issue 21](#)

Using the **data** and inode bitmaps, the file system can **determine** which .... Further, caching eliminates **many** of the accesses **needed** to look up a file (more later). ... The **data blocks needed to store** directories and files can found by ...  
[linuxgazette.net/issue21/ext2.html](#) · [Cached](#) · [Similar](#)

[Obviex™ - How to Calculate the Size of Encrypted Data?](#)

Because after decrypting **data** the algorithm must know how **many** bytes of ... If you are planning to **store** encrypted **data** in a database table in ... The rest of the encryption **blocks** are processed in a similar manner (see Figure 6). ... **needed** by the decryption routine (which will need to know how **many** bytes of salt ...  
[www.obviex.com/Articles/CiphertextSize.aspx](#) · [Cached](#) · [Similar](#)

[Analysis: SSD performance -- is a slowdown inevitable?](#)

May 8, 2009 ... With NAND flash memory, **data** is laid down in **blocks**, just as it is ... combines writes to reduce the amount of capacity **needed to store data**. .... "From those numbers, they can **determine how many** terabytes can be written ...  
[www.computerworld.com/action/article.do?command...19](#) · [Cached](#)

[HOWTO undelete removed files and directories on an ext3 file system](#)

Feb 7, 2008 ... However, nothing like it turned out to be **needed**. .... Subsequently the inode can **store** a double indirect **block** and a triple ..... In order to easily **determine** sensible values for --after and --before ..... Of course, it would be annoying to recover larger files, existing of **many blocks** this way; ...  
[www.xs4all.nl/~carlo17/howto/undelete\\_ext3.html](#) · [Cached](#) · [Similar](#)

[\[PDF\] Data Compression in Oracle](#)

File Format: PDF/Adobe Acrobat - Quick View  
 by M Pokis - Cited by 55 - Related articles  
 information **needed** to recreate the uncompressed **data** in a block is available within that **block**. 2.1 Compressed vs. ... is used to **determine how many** compressed rows are .... number of **blocks** required to **store** the non-compressed ...  
[citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.3.8511&rep...](#)

[Apple - Support - Discussions - spare blocks, bad blocks \(BB\) and ...](#)

So manufacturers do large studies to **determine how many** spares is enough. ... IDE/ATA and SATA drives keep a list of **blocks** that have **needed** corrections in use. ... The drive **stores each block** of **data** semi-redundantly, using extra bits ...  
[discussions.apple.com/thread.jspx?messageID=12414522](#) · [Cached](#)

Ads

**[Blocks Data](#)**Latest News on **Data** Backup**Blocks Data**, Tips & Tools.[searchDataBackup.Techtarget.com](#)**[How Many Blocks](#)**Search for How **Many Blocks**Find How **many blocks**[Ask.com](#)[See your ad here »](#)

Unix partition table - ONLamp.com

So, how **many** storage **blocks** do you have on your cylinder?  
 .... all the **data** that user required was transferred to RAM in  
 one transfer. ... Most filesystems use an algorithm to  
**determine** which **blocks** should be used to **store** which files.

...

[onlamp.com/bsd/2001/02/28/FreeBSD\\_Basics.html](http://onlamp.com/bsd/2001/02/28/FreeBSD_Basics.html) -

Cached - Similar

| Nintendo - Customer Service | Nintendo Buyer's Guide

How can I **determine** what kinds of games (action, adventure, .... For a quick rundown of skill-levels **required** for different game categories, .... The Memory Card 59 has 59 **blocks** available to **store** game **data**, ... Games released after the launch of the system will note how **many blocks** are required on the packaging. ...

[www.nintendo.com/consumer/buyers\\_guide.jsp](http://www.nintendo.com/consumer/buyers_guide.jsp) -

Cached - Similar

NetApp - Tech OnTap - How Safe Is Deduplication?

So how do you **determine** whether two **blocks** are identical?

... **Many** vendors will argue that the chance of a hash collision is lower than the ... Because NetApp deduplication technology is used for primary **data stores** as well as for ...

[www.netapp.com/us/communities/tech.../dedupe-0608.html](http://www.netapp.com/us/communities/tech.../dedupe-0608.html) -

Cached - Similar

Tuning the Linux file system Ext3 - The H Open Source: News and ...

Oct 27, 2008 ... **Data blocks** finally **store** the actual **data**. ... mke2fs to introduce their own value and **determine how many data** bytes relate to each inode. ...

[www.h-online.com/.../Tuning-the-Linux-file-system-Ext3-746480.html](http://www.h-online.com/.../Tuning-the-Linux-file-system-Ext3-746480.html) -

Cached - Similar

[Previous](#)1 **2** 3 4 5 6 7 8 9 10 11[Next](#)[Search Help](#)[Give us feedback](#)[Google Home](#)[Advertising Programs](#)[Business Solutions](#)[Privacy](#)[About Google](#)